

RESEARCH



FACTS and

FINDINGS

A collaboration of Cornell University, the University of Rochester, and the Center for School Safety

Puberty and Mental Health

by Kathleen McCormick, Kirsten M. McKone, and Jane Mendle

If you have ever been an adolescent (or if you have ever had an adolescent in your home), you are abundantly aware that puberty is a challenging time. The pre-teen and teenage years are marked by rapid social and emotional changes that are related to visible physical changes. Puberty is the second most rapid period of growth during life, behind only infancy. However, unlike infancy, individuals are aware that they are changing and can compare themselves to their peers. This awareness explains some of the differences in adjustment across youth, as some people move through puberty with ease, while others may struggle.



Individual differences in puberty

While puberty is a universal experience, each adolescent experiences puberty's changes in different ways. These individual differences in puberty can lead to diverse outcomes. Recently, researchers have begun to explore the effects of the tempo and timing of puberty on mental health (Kaltiala-Heino, Marttunen, Rantanen & Rimpelä, 2003; Mendle & Ferrero, 2012; Michaud, 2015). Pubertal tempo refers to the rate at which a particular individual progresses through puberty. While the average duration of puberty is about 4-4.5 years, it can range from 1.5 to 7, 8, or even 9 years! Pubertal timing is the comparative development of an adolescent relative to others of the same age and gender. One finding of particular concern to researchers is the connection between early pubertal timing and psychological outcomes. Earlier puberty relative to peers seems to increase susceptibility to a vast array of problems (Mendle, Turkheimer, & Emery, 2007). Because of this, it is important to understand the ways in which an individual's biology and social environment contribute to psychological adjustment.

Kathleen McCormick is a senior undergraduate research assistant in the Adolescent Transitions Lab at Cornell University, which is managed by **Kirsten McKone**. **Jane Mendle** is an assistant professor in Cornell's Department of Human Development, and directs the lab.



September 2015

Is puberty starting earlier?

A frequent question posed to researchers studying adolescent health is whether the age of puberty has changed. The American Academy of Pediatrics (AAP) states that the data indicate a shift toward earlier pubertal development for girls but that further research is needed for boys (2012).

For girls, this development is defined by earlier breast development and first menstruation, a trend occurring over the past century (Biro et al., 2013). Records show that the age of menarche (a female's first menstrual period and one way that researchers have tracked historical change in the timing of puberty) has fluctuated across time, ranging from about 12-13 years in ancient Greece to 14-15.5 years in mid-19th century Europe (Amundsen & Diers, 1973; Mendle, Turkheimer & Emery, 2007). The current average age of menarche is around 12.3 years in the United States, with variations by race and ethnicity (Finer, 2013).

Tracking the average age of puberty for males presents more of a challenge, but the age at which boys' voices mature--or break--in male choirs throughout history has provided some clues. Records kept by the Leipzig choir in the 18th century show male singers experienced voice breaking between 17.5 and 18.5 years of age (Daw, 1970). The Copenhagen Municipal Choir reports the median voice breaking age as 10.4 years with data collected from 1994 to 2003 (Juul, Magnusdottir, Scheike, Prytz & Skakkebaek, 2007). However, the AAP (2012) asserts that data are insufficient to point definitively towards earlier pubertal development in boys. Perhaps more important for parents, educators, and youth themselves is another question: What do these trends mean for youth today?

Adolescent Development

Visit ACT for Youth for many additional resources on adolescent development.

www.actforyouth.net/adolescence

The challenges of early puberty

How much of a risk is early puberty? The Great Smoky Mountains Study, among others, found that girls who experienced early puberty were more likely to report higher levels of criminality, psychiatric problems, substance abuse, social isolation, and risky sexual behavior than peers who developed later (Copeland et al., 2014). Early puberty has also been associated with depression, anxiety, eating disorders, and aggression (Ge, Conger, & Elder, 2001a; Lynne, Graber, Nichols, Brooks-Gunn, & Botvin, 2007; Zehr, Culbert, Sisk, & Klump, 2007). These associations are not just present in the United States, but globally: studies conducted on populations in China, England, Finland, and Germany, for example, have all identified a relationship between early puberty and psychological difficulties (Deng, Tao, Wan, Hao, Su, & Cao, 2011; Dick, Rose, Viken, & Kaprio, 2000; Joinson, Heron, Lewis, Croudace, & Araya, 2011; Wiesner & Ittel, 2002).

There are both social and biological theories as to why early puberty is challenging. Researchers have hypothesized adolescents who appear more developed may be treated as older than they really are. While an adolescent may look physically mature, he or she likely has the same cognitive and emotional maturity as other children that age. This discrepancy between physical and emotional maturity can lead to additional stress as early maturing adolescents must navigate novel situations with fewer coping skills than their same age peers will have upon beginning puberty. Hormones may be implicated as well in behavior, since early maturing girls differ



from their peers in biological ways that continue into adulthood. Sex hormones can lead to an increase in negative emotions and sensitivity in social interactions (Brooks-Gunn & Warren, 1989). Additionally, development of judgment and self-regulation does not come until the end of the maturational process. Together an increase in negative affectivity and underdeveloped decision-making skills can mean increased conflict and social difficulties. It is important to note though that the association between hormones and behavior is more established in adults. More research is necessary to see if the same associations apply to adolescents.



What about boys?

Most of the research on early puberty has been conducted in girls. Unfortunately, there is far less research on psychological outcomes and male pubertal development. There is even less research with definitive results or generalizable outcomes. Why? It is much more difficult to track male puberty because there is not an equivalent milestone to menarche in women. Nevertheless, researchers are trying to understand both trends in male pubertal development and what earlier development might mean for boys. Although early puberty was historically believed to be advantageous for boys (Jones & Bayley, 1950), more recent studies have found early development in boys to be related to distress and hostility (Ge et al., 2001b). Still, considering the conclusion of the AAP on early puberty in boys and the opinions of researchers in the field, there is not nearly enough research being done on pubertal timing and tempo for this group. Without a definitive and easily assessed measure of pubertal development in boys, it is hard to understand the impact of puberty on psychological health.

Questions remain

Understanding the psychological and social effects of puberty on behavior is critical in assessing adolescent risk-taking and sexual behavior. The current body of pubertal research points to the necessity of gauging an individual's feelings about puberty in evaluating their distress and level of susceptibility to negative outcomes. Knowing that adolescent perceptions of developmental timing and tempo are highly salient – whether or not they match reality – may be important in identifying youth that are more likely to struggle with puberty. More research is needed in order to fill the gap between the current understanding of the challenges of puberty and effective interventions for youth experiencing this turbulent time. Studying early development, and adolescence more generally, is important because of the impact puberty can have on life trajectories. By studying puberty, researchers can better address the question: Why do certain adolescents navigate these changes well while others struggle? This is a question many teens and pre-teens likely have themselves. ★

The Takeaway

- Puberty is a memorable and often difficult time for adolescents
- Age of puberty has varied throughout history, but recent data shows a trend towards earlier menarche and breast development in girls
- Puberty is a different experience for everyone and can vary widely on when it begins and how long it can last
- Early maturing girls in particular face challenges stemming from social, biological, and environmental factors
- More research needs to be conducted to determine pubertal trends and implications of timing and tempo for boys
- Puberty is important to study because it is a critical time in an adolescent's life and can have long lasting implications



References

- Amundsen, D. W., & Diers, C. J. (1973). The age of menopause in medieval Europe. *Human Biology*, *45*, 605-612.
- Biro, F. M., Greenspan, L. C., Galvez, M. P., Pinney, S. M., Teitelbaum, S., Windham, G. C., ... & Wolff, M. S. (2013). Onset of breast development in a longitudinal cohort. *Pediatrics*, *132*, 1019-1027.
- Brooks-Gunn, J., & Warren, M. P. (1989). Biological and social contributions to negative affect in young adolescent girls. *Child Development*, *60*, 40-55.
- Copeland, W., Shanahan, L., Miller, S., Costello, E. J., Angold, A., & Maughan, B. (2014). Outcomes of early pubertal timing in young women: A prospective population-based study. *American Journal of Psychiatry*, *167*, 1218-1225.
- Daw, S.F. (1970). Age of boy's puberty in Leipzig, 1972-1949, as indicated by voice breaking in J.S. Bach's choir members. *Human Biology*, *42*, 87-89
- Deng, F., Tao, F. B., Wan, Y. H., Hao, J. H., Su, P. Y., & Cao, Y. X. (2011). Early menarche and psychopathological symptoms in young Chinese women. *Journal of Women's Health*, *20*(2), 207-213.
- Dick, D. M., Rose, R. J., Viken, R. J., & Kaprio, J. (2000). Pubertal timing and substance use: Associations between and within families across late adolescence. *Developmental Psychology*, *36*(2), 180.
- Finer, L. B. (2013, November). *Ages at reproductive health transitions in the United States*. Paper presented at the 141st annual meeting of the American Public Health Association. Boston.
- Ge, X., Conger, R. D., & Elder Jr, G. H. (2001a). Pubertal transition, stressful life events, and the emergence of gender differences in adolescent depressive symptoms. *Developmental Psychology*, *37*(3), 404.
- Ge, X., Conger, R. D., & Elder Jr, G. H. (2001b). The relation between puberty and psychological distress in adolescent boys. *Journal of Research on Adolescence*, *11*(1), 49-70.
- Joinson, C., Heron, J., Lewis, G., Croudace, T., & Araya, R. (2011). Timing of menarche and depressive symptoms in adolescent girls from a UK cohort. *British Journal of Psychiatry*, *198*(1), 17-23.
- Jones, M. C., & Bayley, N. (1950). Physical maturing among boys as related to behavior. *Journal of Educational Psychology*, *41*(3), 129.
- Juul, A., Magnusdottir, S., Scheike, T., Prytz, S., & Skakkebaek, N. E. (2007). Age at voice break in Danish boys: Effects of pre-pubertal body mass index and secular trend. *International Journal of Andrology*, *30*(6), 537-542.
- Kaltiala-Heino, R., Marttunen, M., Rantanen, P., & Rimpelä, M. (2003). Early puberty is associated with mental health problems in middle adolescence. *Social Science & Medicine*, *57*(6), 1055-1064.
- Lynne, S. D., Graber, J. A., Nichols, T. R., Brooks-Gunn, J., & Botvin, G. J. (2007). Links between pubertal timing, peer influences, and externalizing behaviors among urban students followed through middle school. *Journal of Adolescent Health*, *40*(2), e7-13.



- Mendle, J., & Ferrero, J. (2012). Detrimental psychological outcomes associated with pubertal timing in adolescent boys. *Developmental Review, 32*(1), 49-66.
- Mendle, J., Turkheimer, E., & Emery, R. E. (2007). Detrimental psychological outcomes associated with early pubertal timing in adolescent girls. *Developmental Review, 27*(2), 151-171.
- Michaud, P. A. (2015). Pubertal timing, exploratory behavior and mental health: A view from a clinician and public health practitioner. In *Brain Crosstalk in Puberty and Adolescence* (pp. 45-56). Springer International Publishing.
- Wiesner, M., & Ittel, A. (2002). Relations of pubertal timing and depressive symptoms to substance use in early adolescence. *Journal of Early Adolescence, 22*(1), 5-23.
- Zehr, J. L., Culbert, K. M., Sisk, C. L., & Klump, K. L. (2007). An association of early puberty with disordered eating and anxiety in a population of undergraduate women and men. *Hormones and Behavior, 52*(4), 427-435.



Bronfenbrenner Center for
Translational Research
Beebe Hall
Cornell University
Ithaca, New York 14853
t. 607.255.7736
f. 607.255.8562
act4youth@cornell.edu

www.actforyouth.net

www.nysyouth.net

The ACT for Youth Center of Excellence

The ACT for Youth Center of Excellence connects youth development research to practice in New York State and beyond. Areas of focus include positive youth development in programs and communities, adolescent development, and adolescent sexual health. Visit us: www.actforyouth.net

The Center of Excellence is also home base for the ACT Youth Network. Visit our youth site: www.nysyouth.net

Receive announcements of new publications and youth development resources by subscribing to the *ACT for Youth Update*, an e-letter that appears 1-2 times each month. Subscribe on the ACT for Youth website: www.actforyouth.net/publications/update.cfm

The ACT for Youth Center of Excellence is a partnership among Cornell University Bronfenbrenner Center for Translational Research, Cornell University Cooperative Extension of New York City, the Center for School Safety, and the University of Rochester Medical Center Adolescent Medicine Division.